

THE START OF HIGH POWER MICROWAVE RESEARCH AT THE AIR FORCE WEAPONS LABORATORY

J. A. Gaudet and W. L. Baker

June 1999

Final Report

19991004 017

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.



**AIR FORCE RESEARCH LABORATORY
Directed Energy Directorate
3550 Aberdeen Ave SE
AIR FORCE MATERIEL COMMAND
KIRTLAND AIR FORCE BASE, NM 87117-5776**

DTIC QUALITY INSPECTED 4


Using Government drawings, specifications, or other data included in this document for any purpose other than Government procurement does not in any way obligate the U.S. Government. The fact that the Government formulated or supplied the drawings, specifications, or other data, does not license the holder or any other person or corporation; or convey any rights or permission to manufacture, use, or sell any patented invention that may relate to them.

This report has been reviewed by the Public Affairs Office and is releasable to the National Technical Information Service (NTIS). At NTIS, it will be available to the general public, including foreign nationals.

If you change your address, wish to be removed from this mailing list, or your organization no longer employs the addressee, please notify AFRL/DEHE, 3550 Aberdeen Ave SE, Kirtland AFB, NM 87117-5776.

Do not return copies of this report unless contractual obligations or notice on a specific document requires its return.

This report has been approved for publication.




THOMAS A. SPENCER, DR-III
Project Manager



MARK R. FRANZ, LT COL, USAF
Chief, High Power Microwave Division

FOR THE COMMANDER



R. EARL GOOD, SES
Director, Directed Energy

REPORT DOCUMENTATION PAGE*Form Approved*
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.**

1. REPORT DATE (DD-MM-YYYY)

09-06-1999

2. REPORT TYPE

Final Report

3. DATES COVERED (From - To)

1 February - 1 June 1999

4. TITLE AND SUBTITLE

The Start of High Power Microwave Research at the

Air Force Weapons Laboratory

5a. CONTRACT NUMBER**5b. GRANT NUMBER****5c. PROGRAM ELEMENT NUMBER**

61102F

6. AUTHOR(S)

J. A. Gaudet and W. L. Baker

5d. PROJECT NUMBER

2304

5e. TASK NUMBER

AK

5f. WORK UNIT NUMBER

01

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

Air Force Research Laboratory

AFRL/DEH

3550 Aberdeen Ave. SE

Kirtland AFB, NM 87117

8. PERFORMING ORGANIZATION REPORT NUMBER

AFRL-DE-TR-1999-1059

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)**10. SPONSOR/MONITOR'S ACRONYM(S)****11. SPONSOR/MONITOR'S REPORT NUMBER(S)****12. DISTRIBUTION / AVAILABILITY STATEMENT**

Approved for public release; distribution unlimited.

13. SUPPLEMENTARY NOTES**14. ABSTRACT**

This report is a brief history of the beginnings of the High Power Microwave Program at the predecessor organization to the Air Force Research Laboratory, i. e. the Air Force Weapons Laboratory at Kirtland AFB, New Mexico. The program grew out of concern for the vulnerability of electronics on Air Force systems in the early 1980s. The more sophisticated the solid state electronics and integrated circuits employed by the Air Force became, the more susceptible they were to upset and damage from electromagnetic radiation from a variety of sources, including high power microwaves. The Air Force Weapons Laboratory was poised to take on this new technology challenge from its decades of research on nuclear electromagnetic pulse and its effects on electronics.

15. SUBJECT TERMS

high power microwaves, split cavity oscillator, vircator, magnetically insulated line oscillator, electromagnetic radiation

16. SECURITY CLASSIFICATION OF:**a. REPORT**

UNCLASSIFIED

b. ABSTRACT

UNCLASSIFIED

c. THIS PAGE

UNCLASSIFIED

17. LIMITATION OF ABSTRACT

UL

18. NUMBER OF PAGES

14

19a. NAME OF RESPONSIBLE PERSON
J. A. Gaudet**19b. TELEPHONE NUMBER (include area code)**

505-846-1981

TABLE OF CONTENTS

1. ABSTRACT.....	1
2. NARROWBAND HIGH POWER MICROWAVE RESEARCH.....	1
3. ULTRA-WIDEBAND HIGH POWER MICROWAVE RESEARCH.....	4
4. SUMMARY.....	6

1. ABSTRACT

This report is a brief history of the beginnings of the High Power Microwave Program at the predecessor organization to the Air Force Research Laboratory; i. e., the Air Force Weapons Laboratory at Kirtland AFB, New Mexico. The program grew out of concern for the vulnerability of electronics on Air Force systems in the early 1980s. The more sophisticated the solid state electronics and integrated circuits employed by the Air Force became, the more susceptible they were to upset and damage from electromagnetic radiation from a variety of sources, including high power microwaves. The Air Force Weapons Laboratory was poised to take on this new technology challenge from its decades of research on nuclear electromagnetic pulse (NEMP) and its effects on electronics.

2. NARROWBAND HIGH POWER MICROWAVE RESEARCH

The narrowband High Power Microwave (HPM) program at the Air Force Research Laboratory (AFRL) had its beginnings from one of its predecessor organizations, the Air Force Weapons Laboratory (AFWL), at Kirtland AFB, NM. In the late 1970's and early 1980's, the main technology areas at AFWL were high power lasers and nuclear weapons' effects (organized within ARTO, the Advanced Radiation Technology Office, and NTO, the Nuclear Technology Office). Transient Radiation Effects on Electronics (TREE) was one of the areas that scientists at AFWL/NTO studied during this period. Another effect of prominence that was studied in detail was the nuclear electromagnetic pulse (EMP). This naturally led to a keen awareness of the increasing susceptibility of Air Force electronics systems from electromagnetic radiation. Furthermore, simulators

that employed high current electron beam devices had been built at AFWL to study these effects.

At about the same time various analysts were considering using microwave radiation as a weapon as well as for communications and detection. But until the 1980s damage thresholds were high compared to available microwave output power. Then, two technological trends changed the situation. First, development of sources of microwave power in the gigawatt range posed a plausible threat to military equipment. Second, the military grew increasingly dependent on microelectronics that were susceptible to upset or burnout at much lower power levels than their predecessors.

These two developments suggested that HPM (meaning at the time devices with outputs in excess of 100 MW) might play important roles on future battlefields. They might perform traditional electronic warfare missions such as jamming enemy radar and command and control systems, but that was not all. They might also disable enemy aircraft and missiles in the air or on the ground, thus contributing to a wide variety of offensive and defensive missions. Planners thought that HPM uses could range from air base defense, aircraft self-protection, and suppression of enemy air defenses to attacks on airfields, imprecisely located or "strategic relocatable" targets (mobile missiles and command posts), and satellites.

But while analysts expected that HPM would have significant military potential, they could not be sure. Whether HPM would be useful military weapons depended on many unanswered questions. How did microwaves cause damage? Were pulsed or continuous wave microwaves more lethal, and against which types of targets? Were pulses with fast rise times more dangerous than pulses with slower ones? Was peak power more

important than total energy delivered? Were some frequencies more lethal than others? How vulnerable was military equipment to microwave attack? What effects did microwaves have on human beings? How could successful microwave attack be verified; i.e., were reliable kill assessment techniques possible? Could shielding and other counter measures reduce vulnerabilities to the point that HPM weapons would not be worth the investment?

AFWL began exploring these technology issues in June 1983. The effort began as a small initiative with two scientists. It centered on modifying a Physics International (PI) pulser as a virtual cathode oscillator and using it as a tunable HPM source. The new machine was capable of 1 GW pulses with a rise time of 1.3 ns and a pulse width of 2.5 to 25 ns. The frequency could be tuned between 3 and 10 GHz. Over the next few years, a variety of pulser/source configurations were built on mobile platforms at AFWL provided the U. S. with the first mobile source of gigawatt microwaves.

While experiments in source development were being conducted by all three services in the DOD, deliberations in Washington were focusing the attention by leaders on HPM. The AF Scientific Advisory Board (SAB) conducted a study in the summer of 1985. The recommendation of this panel was that a coordinated program in HPM technologies be started. The goal of this effort was not to develop a weapon; instead, it was to determine whether HPM could have important effects (both positive and negative) on Air Force missions. The program would gather information on damage mechanisms, lethality, the vulnerability of U. S. and foreign systems, the effects of HPM on people, and possible countermeasures.

At about the same time that the SAB made these recommendations, a major Air Force study on future systems and technologies the Air Force needed to operate in the early twenty-first century was just being finished. In this Forecast II report, HPM was ranked as one of the top five technologies that the Air Force should develop. Thus, during the mid-1980's, the AFWL started to invest considerable resources into developing HPM sources and modulators to drive them.

The Air Force (and AFWL) started to shift away from nuclear weapons effects as it approached the decade of the 90's. During various re-organizations of AFWL (absorbed by the Phillips Laboratory and then made a component of the single laboratory, the AFRL), a significant research effort was concentrated on "Advanced Weapons." The HPM program became an integral part of this strategy, adding ultra-wideband sources to its repertoire.

3. ULTRA-WIDEBAND HIGH POWER MICROWAVE RESEARCH

Ultra-wideband (UWB) sources and antennas were also a natural outcome of EMP research at AFWL. A well-established research program to design and build EMP simulators started in the late 1960's. These devices produced transient electromagnetic radiation similar to the nuclear EMP that threatened Air Force systems during the cold war. The simulators consisted of pulsers and antennas of various configurations and were developed under the guidance of the AFWL's Dr. Carl Baum, now the Senior Scientist for Electromagnetics at AFRL, a true visionary and international pioneer in transient antenna design.

Thus, UWB HPM research grew out of EMP expertise at AFWL. It was recognized that as the technology improved pulsed and switches could be built in smaller packages. The pulsed improvements came in the form of faster rise time breakdown (sub-nanosecond). Hence, transient, repetitive pulses could be generated in the microwave portion of the electromagnetic spectrum. A variety of potential applications for these systems, ranging from transient radar systems to communications systems, were envisioned.

The research into UWB transient antennas, first at AFWL (now AFRL/DE, the Directed Energy Directorate of AFRL) and in other groups around the world, has also contributed significantly to the development and improvement of extremely wideband continuous wave (cw) and non-dispersive antenna designs. The approach at AFRL included two thrusts involving gas switched sources: very powerful, high pressure hydrogen spark gap pulsed and compact hydrogen gas switches in conjunction with high gain UWB antennas. This research started in the early 1990's with the H-series (hydrogen series) of pulsed. Over the last several years, improvements in high voltage insulating oil and short-pulse gas switching have allowed significant gains to the UWB technology.

The Air Force Research Laboratory also pursued arrays of solid-state switched UWB pulsed and antennas. This work, begun in the late 1980's, started with the use of photoconductive solid state switches using GaAs technology. These arrays, in fact, presently hold the record for peak radiated field strength in the far field of the antenna.

4. SUMMARY

High Power Microwave research was begun at the AFWL and continues on at its successor organization, AFRL/DE, to meet a need that came about from the Air Force's dependence on sensitive electronics and their potential vulnerability to electromagnetic radiation. Improvements in relativistic electron beam devices and the generation of gigawatts of pulsed power paved the way for gigawatt-class narrowband microwave tubes in the decade of the 1970's and 1980's. In addition, fast solid state switches, transient antenna designs, and gas breakdown research allowed the AFWL to build megawatt (and then gigawatt) ultra-wideband sources. These two components comprise today's AFRL HPM microwave source research program.

DISTRIBUTION LIST

AUL/LSE

Bldg 1405 - 600 Chennault Circle

Maxwell AFB, AL 36112-6424

1 cy

DTIC/OCP

8725 John J. Kingman Rd, Suite 0944

Ft Belvoir, VA 22060-6218

2 cys

AFSAA/SAI

1580 Air Force Pentagon

Washington, DC 20330-1580

1 cy

AFRL/PSTL

Kirtland AFB, NM 87117-5776

2 cys

AFRL/PSTP

Kirtland AFB, NM 87117-5776

1 cy

AFRL/DEH

ATTN: William L. Baker

Kirtland AFB, NM 87117-5776

2 cys

Official Record Copy

AFRL/DEHE/John A. Gaudet

10 cys